RR Signature Appliances



Aapke Kaam Ki Baat EXQUISITE APPLIANCES COLLECTION 2025





Elevating your living space is now simpler with ergonomic approach.

Introducing RR Signature, a premium brand with world-class oaring envisioned to create timeless indoors.

With engineered design sensibilities and passion for innovation backed by RR's legacy built over four decades, stay rest assured that your ideas will come to life. Our oaring bring you pieces that are exquisite, balanced and unique to bring you appliances that are both functional and beautiful. Going forward we'll bring oerings that expand in versatility, range, and innovations.

Whether you're looking to enhance the look of your bedroom, living room, or any other space, we've got you covered. Browse through our catalogue and discover how our appliances can help to ease your life and add charm to your beautiful home.



WATER HEATERS





6 signature Benefits for Water Heaters



5 Star Rated Products

Entire Range of Storage Water Heaters Has Maximum Energy Efficiency Rating of 5 Stars From Bee*



On Tank Jumbo Tank Warranty of 10 years

On Entire Storage Water Heater



Heating Element

Entire Range

of Storage Water
Heaters Has
Heating Element
6 Years Warranty
&
Instant Water
Heaters
Heating Element
3 Years Warranty



Free Installation

Entire Range of Storage Water Heaters Has Company Provided Free Installation And Stainless Steel Pipe With Fasteners Provided In The



Blue Diamond Titanium Glass Line Tank

Entire Range of Storage Water Heaters Has Blue Diamond Titanium Glass Line Tank For Long Life



Whirflow Technology

Entire Range of Storage Water Heaters Has Whirflow Technology-20% More Hot Water







Colour Changing LED Indicator



Blue Diamond Titanium Glass Line Tank



Thermal Cutout & Multi Safety Valve



Dry Heating Protection



Magnesium Anode Rod









Capacity	Dimensions (mm)		
in Litres	/L	W/	H
10	380	323	393
15	400	379	414
25	480	400	488

LUSTRA

Storage Water Heater

SIZES AVAILABLE













Incloy Heating Element



Blue Diamond Titanium Glass Line Tank



Thermal Cutout & Multi Safety Valve



Whirflow Technology



Magnesium Anode Rod



6 YEARS WARRANTY







Capacity	Dimensions (mm)		
in Litres	/L\	W/	H
10	320	340	415
15	320	340	515
25	360	380	570

On Heating Element







Dry Heating Protection



Blue Diamond Titanium Glass Line Tank



Thermal Cutout & Multi Safety Valve



Whirflow Technology



Magnesium Anode Rod



6 YEARS WARRANTY







Capacity	Dimensions (mm)		
in Litres	/L	W/	\backslash H \backslash
10	290	310	485
15	330	350	530
25	370	388	630
$\lambda = \langle - \rangle$	\sim		\wedge



On Heating Element

AMDD Storage Water Heater

SIZES AVAILABLE





















On Heating Element











Dry Heating Protection



Blue Diamond Titanium Glass Line Tank



Thermal Cutout & Multi Safety Valve



Whirflow Technology



Magnesium Anode Rod

Capacity	Dimensions (mm)		
in Litres	/L	\W/	H
6/	290	315	372
/10/	290	310	500
15	330	350	530
25	370	390	630
35	460	485	580
50	505	465	625







Dry Heating Protection



Blue Diamond Titanium Glass Line Tank



Thermal Cutout & Multi Safety Valve



Whirflow Technology



Magnesium Anode Rod











Capacity	Dimensions (mm)		
in Litres	/L	W/	H
10	460	270	250
15	470	320	300
25	540	360	340









Dry Heating Protection



Dual LED Indicator



Rust & Shock Proof Premium Plastic Body



Heavy Copper Heating Element for Faster Heating



Pressure Release Valve



On Tank







On Product



Capacity	Dimensions (mm)		
in Litres	Ļ	W	/ H / \
/\3 \ /	200	185	365
5.9	220	210	440

MOMENTA Instant Water Heater SIZES AVAILABLE 5 LITRES





Dry Heating Protection



Dual LED Indicator



Rust & Shock **Proof Premium** Plastic Body



Heavy Copper **Heating Element** for Faster Heating



Pressure Release Valve



On Tank


On Heating Element



signature

MOMENTA

On Product



Capacity	Dimensions (mm)		
in Litres	L/	/W	/ H/\
/\3\/	200	185	365
5	220	210	440







Dry Heating Protection



Dual LED Indicator



Rust & Shock Proof Premium Plastic Body



Heavy Copper Heating Element for Faster Heating



Pressure Release Valve



On Tank





On Heating Element

On Product

Capacity	Dimensions (mm)		
in Litres	\Ļ/	W	/ H / \
/\3\/	200	200	320
5	215	220	390







Auto shut off in 20 mins



Flame Out Protection



>85% Heating efficiency



Summer/Winter Mode



ISI Certified Product



Capacity	Dimensions (mm)		
in Litres	1	W	H
6	140	300	440





5 signature

Benefits for Immersion Water Heaters



Water Proof and Shock Proof

Entire Range Of Immersion Water Heaters Are Water Proof And Shock Proof



IP-68 Certified

Immersion Water
Heater Model Is
Ip-68 Certified
Water Resistant In
Fress Water To A
Maximum Depth Of
1.5 Metres
For Up To
30 Minutes



Fast & Efficient Heating

Equipped With
A High-Performance
Heating Element,
Ensuring
Quick Water
Heating In
Minimal Time.




Durable & Corrosion Resistant

Anti Rust Coated
Heating
Element For
Enhanced
Durability,
Especially
In Areas With
Hard Water



Sturdy Bucket Clip

For Secure & Safe Heating-Ensures A Firm Grip On The Bucket's Edge To Prevent Accidental Slips.







Automatic Cut Off



Heavy Heating Rod



Anti Rust Coated Heating Rod



ISI Mark 3 pin Moulded Plug



Water & Shock Proof



IRP

Immersion Water Heater

WATTAGE AVAILABLE

1000W 1500W







Heating starts in 1 second



Heavy Heating Rod



Anti Rust Coated Heating Rod



ISI Mark 3 pin Moulded Plug



Water & Shock Proof



IRS

Immersion Water Heater

WATTAGE AVAILABLE

1000W 1500W

2000W







Heating starts in 1 second



Heavy Heating Rod



Anti Rust Coated Heating Rod



ISI Mark 3 pin Moulded Plug



Water & Shock Proof





ROOM HEATERS



4 signatureBenefits for Room Heaters



Advanced Safety Features

Equipped With Overheat Protection And A Tip-over Switch For Enhanced Safety.



2 Years Total Protection Warranty

2-year Warranty On Entire Room Heater Range, Including Coverage For Quartz & Halogen Heater Tubes



Heat-Resistant Durability

Specially Designed With Robust Materials To Endure High Temperatures And Deliver Consistent Performance.



Noise-Free Operation

Designed For Quiet Performance, Ensuring A Calm And Comfortable Atmosphere







Quick heating with PTC Fan



Thermostatic Heat Control



11 Oil Fins



2900 W



Castor Wheels for Easy Mobility









Adjustable Temperature Setting with thermostat



Dual heat Setting1000W 2000W



Twin Turbo Motor



Adjustable Height



Ergonomic Handle























3 Tube for Instant Heating



Auto Cut off



180° Oscillation



On Tube Also



Signature Appliances



Noiseless Operation



Dual heat Setting 400W 800W



Auto Cut off



Indicator Light



On Tube Also









Temperature Control Knob



Powerful Fan Motor



Auto Cut Off



Dual heat Setting-800 W/ 1600 W











2 Carbon Tube for Instant Heating



Auto Cut off



Indicator Light



On Tube Also









Adjustable Temperature Control Knob



Auto Cut off



Shock Proof ABS Body



Less Oxygen Burning



ELECTRIC IRONS



5 signature Benefits for Electric Irons



Powerful Heating Element

Equipped With
A High
Performance
Heating Element
That Ensures
Quick
Heat-up And
Smooth
Ironing



Non-Stick Teflon Coating

Features A Durable
Non-stick
Teflon Coating
Soleplate That
Glides Smoothly
Over Fabrics,
Preventing
Sticking Or
Burning.



Anti-Overheat Protection for Safety

Built-in Overheat Protection Ensures Safe Usage And Prevents Accidental Burns Or Overheating



Fabric Setting

Offers 6 Adjustable
Temperature
Settings Designed
To Deliver
Optimal Care For
A Variety Of Fabrics,
From Delicate Silks
To Heavy Denims,
Ensuring Perfect
Results Every
Time.



360° Swivel Cord

Ensures
Tangle-free Ironing,
Providing Smooth
Movement And
Easy Handling.











Easy Grip Knob for Fabric Setting



6 Fabric Setting













Non Stick Teflon Coating



Thermal Overload Protection



Easy Grip Knob for Fabric Setting



6 Fabric Setting







360° Swivel Cord

CASA PLANCA

1.8 Kgs Heavy Weight Iron | Electroplated Metal Body







Non Stick Teflon Coating



Thermal Overload Protection



1.8 KG



6 Fabric Setting













Non Stick Teflon Coating



Thermal Overload Protection



Easy Grip Knob for Fabric Setting



6 Fabric Setting



360° Swivel Cord







Dry Iron | Premium Plastic Skirting









Non Stick Teflon Coating



Thermal Overload Protection



Easy Grip Knob for Fabric Setting



6 Fabric Setting













Non Stick Teflon Coating



Thermal Overload Protection



Easy Grip Knob for Fabric Setting



6 Fabric Setting







360° Swivel Cord







Non Stick Teflon Coating



Thermal Overload Protection



Easy Grip Knob for Fabric Setting



6 Fabric Setting







Swivel Cord

CREASEFREE

Dry Iron | Premium Plastic Skirting







Non Stick Teflon Coating



Thermal Overload Protection



Easy Grip Knob for Fabric Setting



6 Fabric Setting







AIR COOLERS



6 signature Benefits for Air Coolers



2-Year Warranty

Comprehensive 2-year Warranty, Ensuring Durability And Reliable Performance.



All-Season Cover Free

Comes With A Free All-Season Cover To Safeguard Your Cooler From Dust, Moisture, And Damage Ensuring It Stays In Top Condition All Year Round.



Powerful Airflow for Instant Cooling

Equipped With A
High-Performance
Motor (110/Exchaust)
And Optimized ABS/
Metal Fan Blades To
Deliver Strong,
Consistent Airflow
For Faster
Cooling.



100% Virgin PP Body

Constructed From 100% Virgin Polypropylene (pp) Material, Ensuring Superior Strength, Crack Resistance, And Long-lasting Durability Even In Extreme Temperatures.



Anti-Bacterial Honeycomb Pads

Designed To Resist Bacterial Growth, Ensuring Your Cooler Delivers Fresh, Germ-free Air For A Safer Home Environment.



Inverter Compatible

Designed To Run Efficiently On Inverter Power, Ensuring Continuous Cooling Even During Power Cuts







Capacity	110Ltrs
Wattage	350 W
Air Throw	75 ft
Air Delivery (M3H)	8000 m³/hr
Inverter Compatibility	Yes
Speed	1350 RPM
Dimensions in mm (LxWxH)	810x530x1390







18.5 Inch A Grade Metal Fan Blade



Anti Bacterial Honeycomb Pad



Exchaust Motor with Double Ball bearing



Thermal Overload Protection









Capacity	100Ltrs
Wattage	550 W
Air Throw	100 ft
Air Delivery (M3H)	13000 m3/hr
Inverter Compatibility	Yes
Speed	1350 RPM
Dimensions in mm (LxWxH)	965x535x1490







24 Inch A Grade Metal Fan Blade



Anti Bacterial Honeycomb Pad



Exchaust Motor with Double Ball bearing



Thermal Overload Protection



SIBERIAN MAMMOTH

Industrial Air Cooler

SIZES AVAILABLE









Capacity	50Ltrs	88Ltrs
Wattage	140 W	250 W
Air Throw	50 ft	65 ft
Air Delivery (M3H)	3300 m3/hr	6700 m3/hr
Inverter Compatibility	Yes	Yes
Speed	2400 RPM	1350 RPM
Dimensions in mm (LxWxH)	520x385x1024	671x445x1314





Hight Air Throw



ABS Fan Blade



Anti Bacterial Honeycomb Pad



Strong Motor



Thermal Overload Protection









Capacity	120Ltrs
Wattage	210 W
Air Throw	60 ft
Air Delivery (M3H)	5500 m3/hr
Inverter Compatibility	Yes
Speed	1400 RPM
Dimensions in mm (LxWxH)	685x475x1296







18 Inch A Grade Metal Fan Blade



Anti Bacterial Honeycomb Pad



5 Litre Ice Chamber



Inverter Compatible











16 Inch ABS Fan Blade



Anti Bacterial Honeycomb Pad



Inverter Compatible



Multi Directional Caster Wheels







Capacity	70Ltrs	90Ltrs
Wattage	200 W	200 W
Air Throw	60 ft (60 ft
Air Delivery (M3H)	4600 m3/hr	4600 m3/hr
Inverter Compatibility	Yes	Yes
Speed	1350 RPM	1350 RPM
Dimensions in mm (LxWxH)	590x340x1190	630x430x1230







Capacity	60Ltrs	80Ltrs
Wattage	180 W	200 W
Air Throw	45 ft	45 ft
Air Delivery (M3H)	3500 m3/hr	3500 m3/hr
Inverter Compatibility	Yes	Yes
Speed	1380 RPM	1380 RPM
Dimensions in mm (LxWxH)	610x430x1030	610x430x1090







16 Inch ABS Fan Blade



Anti Bacterial Honeycomb Pad



Inverter Compatible



lce Chamber











ABS Fan Blade



Anti Bacterial Honeycomb Pad



Inverter Compatible



lce Chamber







Capacity	55Ltrs	75Ltrs
Wattage	200 W	200 W
Air Throw	50 ft	50 ft
Air Delivery (M3H)	4500 m3/hr	4500 m3/hr
Inverter Compatibility	Yes	Yes
Speed	1400 RPM	1400 RPM
Dimensions in mm (LxWxH)	546x446x949	630x430x1180







	\/
Capacity	50Ltrs
Wattage	220 W
Air Throw	40 ft
Air Delivery (M3H)	2000 m3/hr
Inverter Compatibility	Yes
Speed	1280 RPM
Dimensions in mm (LxWxH)	660x560x550







Water Level Indicator



Wood Wool Cooling Pad



Inverter Compatible



Thermal Overload Protection











Completely Collapsible Louvers



Anti Bacterial Honeycomb Pad



Virgin PP Body



Inverter Compatible



Thermal Overload Protection





Capacity	35Ltrs	
Wattage	150 W	
Air Throw	35 ft	
Air Delivery (M3H)	1350 m3/hr	
Inverter Compatibility	Yes	
Speed	1400 RPM	
Dimensions in mm (LxWxH)	350x350x1150	







	Capacity	22Ltrs
	Wattage	130 W
	Air Throw	30 ft
	Air Delivery (M3H)	1200 m3/hr
	Inverter Compatibility	Yes
	Speed	1280 RPM
	Dimensions in mm (LxWxH)	400x300x772







Completely Collapsible Louvers



Anti Bacterial Honeycomb Pad



Virgin PP Body



Inverter Compatible



Thermal Overload Protection









Completely Collapsible Louvers



Anti Bacterial Honeycomb Pad



Virgin PP Body



Inverter Compatible



Thermal Overload Protection



Capacity	12Ltrs	18Ltrs
Wattage	80 W	80 W
Air Throw	14ft	14 ft
Air Delivery (M3H)	650 m3/hr	650 m3/hr
Inverter Compatibility	Yes	Yes
Speed	1380 RPM	1380 RPM
Dimensions in mm (LxWxH)	284x273x590	284x273x670





5 signatureBenefits for Electric Induction



2-Year Warranty On Products



High Voltage Shield Protection Upto 5000V On Selected Models



35% Faster Cooking*



A Grade Crystal Glass for Longer Durability



8 Indian Pre Set Menus in entire Electric Induction Range







Feather Touch Control



BBQ Grill FREE



A Grade Crystal Glass For Longer Durability



Adjustable Temperature Control



High/Low Volatge Auto Cut Off





On Glass







Child Lock For Safety*



35% Faster Cooking*



A Grade Crystal Glass For Longer Durability



Feather Touch Control



Keep Warm Function









High Voltage Shield Protection Upto 4500V



35% Faster Cooking*



A Grade Crystal Glass For Longer Durability



Advance Double Ring Coil



Keep Warm Function





Signature Appliances



High Voltage Shield Protection Upto 5000V



35% Faster Cooking*



A Grade Crystal Glass For Longer Durability



Advance Double Ring Coil



Keep Warm Function



R R KABEL LIMITED

Corp. Office: Alembic Business Park (West), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003, Gujarat. Regd. Office: Ram Ratna House, Oasis Complex, P.B. Marg, Worli Mumbai - 400 013, Maharashtra, India.

Toll Free No.:- 1800 203 2676, Email: customercare@rrglobal.com