

RR signature Lights



Aapke Kaam
Ki Baat

**EXQUISITE LIGHTING
COLLECTION 2026**

About RR GLOBAL

RR Global, one of India's largest and most prominent conglomerates in the electrical industry has a noteworthy presence in more than 90 countries across the world. Head Quartered in Mumbai, we have 12 successful operating companies & 45 marketing offices in India manufacturing products ranging from Cables & Wires to Copper Tubes, Busducts, Magnet Wires, Electromechanical Parking Solutions, Electrical Accessories, Busbars & Tapes, Consumer Electricals, Busduct Systems & more.

Set out as a export house back in the 80's, we have grown exponentially over the past 3 decades and now have 15 manufacturing facilities across geographical boundaries and a production facility set up across an area of 3.2 million sq. ft. employing more than 5000 personnel. With an annual turnover of more than USD 1.6 billion, we continue to have ambitious expansion plans of increasing our production facility by an additional 1 million sq. feet over the next few years.

Innovation is the one of our most important values and an integral part of our DNA. It is at the very core of every single decision that we take. Each RR Global team member embraces these values we stand for and in turn, this provides a power impetus for us to continue to scale greater heights.

About RR KABEL

RR Kabel is part of RR Global, a USD 1.6 Billion conglomerate in the electrical sector with a presence more than 90 countries globally. Spread across multiple business verticals including Wires & Cables, we continue to endeavor to create best quality products using the latest advances in wire design and engineering. We offer the widest range of premium wires and cables for various residential, commercial, industrial and infrastructure purposes.

RR Kabel is ISO 9001, ISO 14001 and ISO 45001 certified company. We are available globally with our products being certified to BASEC(UK), UL(USA), CSA(Canada), VDE(Germany), TUV Rheinland (Germany) and others.

With 42 national & international certifications, our products are also compliant to REACH (Registration Evaluation Authorization of Chemical Substances) and RoHS (Restriction of Hazardous Substances) directives have also been achieved with extensive research and development by skilled professionals to make sure our products adhere to global guidelines and standards.

We believe that the future of our industry lies in innovation and effective R&D that in turn helps one to push boundaries and eliminate borders. We at RR Kabel follow this and hence are constantly emerging with new products that are globally significant, at competitive prices and are aimed at providing an environment of utmost safety.



About RR SIGNATURE

Introducing RR Signature, a premium brand with world-class offerings envisioned to create timeless indoors. With passion for innovation backed by RR's legacy built over four decades, stay rest assured that your ideas will come to life. Our offerings bring you pieces that are exquisite, balanced and unique to bring you lights that are both functional and beautiful. Going forward we'll bring offerings that expand in versatility, range, and innovations. Whether you're looking to enhance the look of your bedroom, living room, office or any other space, we've got you covered. Browse through our catalogue and discover how our lights can help add charm to your beautiful home.



WIDE RANGE OF LIGHTING

BECAUSE YOUR DAY HAS A RANGE OF DIFFERENT MOMENTS.

At the heart of our innovation is anticipating your every need. Our comprehensive range of LED lighting is designed to seamlessly fit into every corner of your home, offering exactly what you're looking for. Enjoy the benefits of consistent, glare-free illumination that saves up to 85% energy, while ensuring long-lasting brightness and worry-free performance. With customizable brightness options, our LED lighting solutions bring a sense of warmth and comfort, creating a space that truly feels like home.



RECHARGEABLE TORCH

Rechargeable Torch, is a hand-held electric lighting source used for portable illumination in various situations. Torches usually consist of an enclosed lighting tube encased within a reflector for protection, an outer cover made of glass or plastic protecting its contents like protection for bulb and reflector, a power source, typically batteries, and switch controls to provide illumination wherever needed in such circumstances as power outages or emergencies.

For outdoor adventures or emergencies, high-powered LED torches are ideal. Bright and long-lasting torches are designed specifically to illuminate dark environments or illuminate an emergency.

Features:

- **Powerful Front & Side Light**
- **Sturdy ABS Body**
- **Sliding Switch For Dual Mode**
- **Deep Discharge Protection**
- **USB Micro Charging**
- **C Type Charging in Visum mini**



VISUM HANDY - RECHARGEABLE TORCH

1W+1W






Sturdy
ABS Body



USB Micro
Charging



Deep Discharge
Protection

Battery Capacity	Power Supply	Output Wattage	Charging Time	Back-up time (High Mode)	Back-up time (Side Mode)
Li-ION 1200 mAh	5V DC 2 Amps	1W+1W	3 Hours	upto 3 Hours*	upto 2 Hours*

Rated Voltage	Rated Current	Charging Mode Indication	Fully Charging Mode Indication
3V	350mA	Red Light	Green Light

Instruction: Before using the product, please charge the products up to 4 hours using a 1A charger, If the light become dim, recharge the products promptly to ensure uninterrupted battery service life.

APPLICATION



Homes



Hiking



Camping



Security
personnel



Movie
theatre

VISUM HUNT - RECHARGEABLE TORCH

1W+1.5W






Sturdy
ABS Body



USB Micro
Charging



Deep Discharge
Protection

Battery Capacity	Power Supply	Output Wattage	Charging Time	Back-up time (High Mode)	Back-up time (Side Mode)
Li-ION 1200 mAh	5V DC 2 Amps	1W+1.5W	3 Hours	upto 3 Hours*	upto 4 Hours*

Rated Voltage	Rated Current	Charging Mode Indication	Fully Charging Mode Indication
3V	350mA	Red Light	Green Light

Instruction: Before using the product, please charge the products up to 4 hours using a 1A charger, If the light become dim, recharge the products promptly to ensure uninterrupted battery service life.

APPLICATION



Homes



Hiking



Camping



Security
personnel



Movie
theatre




VISUM MINI - RECHARGEABLE TORCH

1W+1W






Sturdy
ABS Body



C Type
Charging



Deep Discharge
Protection

Battery Capacity	Power Supply	Output Wattage	Charging Time	Back-up time (High Mode)	Back-up time (Side Mode)
Li-ION 1200 mAh	5V DC 2 Amps	1W+1W	2 Hours	upto 2 Hours*	upto 1.30 Hours*

Rated Voltage	Rated Current	Charging Mode Indication	Fully Charging Mode Indication
3V	350mA	Red Light	Green Light

Instruction: Before using the product, please charge the products up to 4 hours using a 1A charger, If the light become dim, recharge the products promptly to ensure uninterrupted battery service life.

APPLICATION



Homes



Hiking



Camping



Security
personnel



Movie
theatre



**KONIG
ANTI MOSQUITO
RACQUET**






Overcharge
Protection
Control



High
Voltage
Circuit



Li-Ion
Battery




Long
Working
Life



Dual
Safety
Switch



Type-C
Charging



3 Layer
Dense
Network

Instant Kill : RR Mosquito Racquet comes with 3 layer safety mesh that attacks & Kills mosquito instantly with 3500V DC Voltage Discharge.

Better Coverage : Large Net area & Unique shape for better Coverage.

Strong LED Light : Helps Kill Mosquitoes in Dark

Advanced Lithium Ion Battery : Long Battery Life (500 mAh Lithium Ion Battery)
High Service life, Cycle Charging more than 500 times

Type-C USB Charging : 30% Fast Charging

Strong & Durable: High grade plastic for strength & long life.

USAGE INSTRUCTION :



MODE 1
Racquet
OFF



MODE 2
Racquet
ON



MODE 3
Racquet &
LED ON



Zapper Button
Press for
Commencing usage



COB RANGE

A Perfect Blend of Style and Performance

COB (Chip on Board) lights are a modern and highly efficient lighting solution designed for various indoor and outdoor applications. These lights feature an array of LED chips mounted closely together on a single board, creating a powerful, focused beam with minimal glare. Their compact design and high lumen output make them an ideal choice for both decorative and functional lighting purposes & recommended highly by Architects & Consultants.

Features:

- **High Efficiency**
- **Uniform Lighting**
- **Long Lifespan**
- **Versatile Design**
- **Eco-Friendly**

Make the switch to COB lighting for a smart, stylish, and sustainable lighting solution!



COB LIGHT SHIMMER CYLINDER

8W | 12W | 20W





High Colour
Rendering
index (CRI>80)
for true colours



Intense
Focused
Light



Lifelong
Brightness

Wattage Variants	Housing	Reflector	Dimension (Dia xH)mm	CCT	CRI	*Lumen Efficacy
8W	Black/White	NB / RG	55 x 65	CW/WW/NW	>80	80 lm/W
12W	Black/White	NB / RG	75 x 90	CW/WW/NW	>80	80 lm/W
20W	Black/White	NB / RG	95 x 110	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)
Reflector: Nickel Black (NB), Rose Gold (RG)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries



COB SHIMMER PRO SURFACE TILT

8W | 12W





High Colour
Rendering
index (CRI>80)
for true colours



Intense Focused
Light, Tiltable
Design



Lifelong
Brightness

Wattage Variants	Housing	Reflector	Dimension (Dia xH)mm	Color	CRI	*Lumen Efficacy
8W	Black/White	NB / RG	63 x 68	CW/WW/NW	>80	80 lm/W
12W	Black/White	NB / RG	78 x 95	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)
Reflector: Nickel Black (NB), Rose Gold (RG)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries



COB LIGHT SHIMMER REC REF

8W | 12W | 20W






High Colour
Rendering
index (CRI>80)
for true colours



Intense
Focused
Light



Lifelong
Brightness

Wattage Variants	Housing	Reflector	Cut-out (Dia) mm	Dimension (Dia xH)mm	Color	CRI	*Lumen Efficacy
8W	Black/White	NB / RG	65	70 x 50	CW/WW/NW	>80	80 lm/W
12W	Black/White	NB / RG	80	85 x 65	CW/WW/NW	>80	80 lm/W
20W	Black/White	NB / RG	88	95 x 75	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)
Reflector: Nickel Black (NB), Rose Gold (RG)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries



COB LIGHT SHIMMER DEEP RECESSED

8W | 12W | 20W





High Colour
Rendering
index (CRI>80)
for true colours



Intense
Focused
Light



Lifelong
Brightness

Wattage Variants	Housing	Cut-out (Dia)mm	Dimension (Dia xH)mm	Color	CRI	*Lumen Efficacy
8W	Black/White	56	64 x 61	CW/WW/NW	>80	80 lm/W
12W	Black/White	75	85 x 76	CW/WW/NW	>80	80 lm/W
20W	Black/White	80	90 x 87	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries



SHIMMER COB LIGHT

3W






High Colour
Rendering
index (CRI>80)
for true colours



Intense
Focused
Light



Rich colors
for decoration

Wattage	CCT/Color	Cut-out (Dia)mm	Dimension (Dia xH)mm	CRI	*Lumen Efficacy
3W	CW/WW/Red/Green/Blue	55	70 x 35	>80	90
	3CCT CW+WW+NW	55	70 x 35	>80	90

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)

APPLICATION



Homes
Homes



Restaurants
Small offices



Showrooms
Showrooms



Poles Lighting



Galleries




Contour
Lighting



COB LIGHT SHIMMER UP & DOWN



Spherical




Telescope



Weather Protection



Intense Focused Light



Lifelong Brightness

Wattage Variants	Design	COB/Side	No. of Sides	Dimension(mm)	Colour
2W Updown 1x2	Telescope	1	2	86x80x37	WW
4W Updown 2x2	Telescope	2	2	120x80x42	WW
6W Updown 3x2	Telescope	3	2	168x80x45	WW/Multicolour
8W Updown 4x2	Telescope	4	2	208x80x48	WW
4W 4way 1x4	Spherical	1	4	80x80x46	WW/Multicolour
2W 2way 1x2	Spherical	1	2	68x80x46	WW
3W 1Way K0 1x1	K Type	1	1	62x145x80	WW
6W 2 Way K2 1x2	K Type	1	2	62x75x80	WW

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries



CHAIN (STRIP & ROPE) LIGHTS

LED Rope Lights & LED Strip Lights – Versatile Lighting Solutions

Our **AC Rope Lights** and **DC LED Strip Lights** are flexible, energy-efficient solutions perfect for decorative and functional lighting in both indoor and outdoor spaces.

Features:


- **Flexible & Durable**
- **Vibrant Colors**
- **Energy-Efficient & Long-Lasting**
- **Versatile Applications**

Illuminate your spaces with our LED Rope & Strip Lights, combining efficiency, flexibility, and vibrant lighting for any occasion!



WAVE LED ROPE LIGHT

8W per/mtr
12W per/mtr





Outdoor Application



Rich colors
for decoration

Wattage (per meter)	Color	Length (meter)	LEDs/m	IP
8W/m	CW/NW/WW Red/Green/Blue/Pink Purple/Ice Blue/Amber	45	60	65
12W/m	CW/NW/WW Red/Green/Blue/Pink Purple/Ice Blue/Amber	45	120	65
12W/m	Tiranga	18	120	65

APPLICATION



Homes



Restaurants



Showrooms



Poles Lighting



Galleries



Contour
Lighting

WAVE ECO LED STRIP LIGHT

24W | 48W | 60W





Rich colors
for decoration



12V Operation
Safe to Use

Wattage	Wattage (per meter)	CCT/Color	Length	LEDs/m
24W	4.8W/m	CW/NW/WW Red/Green/Blue/Pink Ice Blue/Amber	5m	60
48W	9.6W/m	CW/NW/WW Red/Green/Blue/Pink Ice Blue/Amber	5m	120
60W	12W/m	CW/NW/WW Red/Green/Blue/Pink Ice Blue/Amber	5m	240

APPLICATION



Homes



Restaurants



Showrooms



Galleries



Contour
Lighting



LED WAVE DC STRIP CV DRIVER

24W | 60W | 96W





Constant Voltage Driver



High Surge Protection (4KV)

Wattage Variants	Driver Type	Dimension	Output Voltage	Output Current	Body
24W	Constant Voltage	85 x 38 x 30	12V	2A	PC
60W	Constant Voltage	150 x 43 x 30	12V	5A	PC
96W	Constant Voltage	150 x 43 x 30	12V	8A	PC

APPLICATION



Homes



Restaurants



Showrooms



Galleries



Contour Lighting



LED DOWNLIGHTS & PANELS

Sleek, Efficient Lighting for Modern Spaces Our LED Downlighters and LED Panels offer stylish, energy-efficient lighting solutions designed to enhance the aesthetics and functionality of residential, commercial, and office spaces. Combining cutting-edge technology with sleek designs, these products provide uniform, glare-free illumination.

Features:

- Compact and Stylish
- Wide Application
- Uniform Illumination
- Energy-Efficient
- Long Lifespan
- Multiple Sizes and Color Temperatures

Upgrade your space with our LED Downlighters and LED Panels for a bright, energy-efficient, and aesthetically pleasing lighting experience!




SENSOLUX LED MOTION SENSOR DOWNLIGHT

15W





Sensor
Technology



High Functional
Light Efficacy
(upto 100
Lumens per watt)



360°
Motion
Sensor

Wattage Variants	Color	Dimension	PF	CRI	*Lumen Efficacy
15W Round	CW/WW/NW	145x55	>0.9	≥80	100 lm/W



AUTO ON

When it senses motion in 15 feet range



AUTO OFF

After 1 min when no motion Detected

APPLICATION



Homes



Shops



Cafes




SKYLUME NEO 2in1 LED DOWNLIGHTER

12W






High Colour Rendering Index (CRI > 80) for true colours




Ultra Slim Construction



Smooth Light Distribution

Wattage Variants	Inner Circle Color	Outer Ring Color	Cut-out Dimension (mm)	Dia(mm)	PF	CRI	Lumen Efficacy
6 W	CW	WW/Pink/Blue Green/PBG	105	143	>0.9	>80	100 lm/W



* CCT-6500K (CDL), 3000K (WW), Pink, Blue, Green (PBG)

APPLICATION



Homes



Shops



Cafes



NEVOLUX DEEP RECESSED DOWNLIGHTER

12W | 18W





Unique
Architectural
Design



High Colour Rendering
index (CRI>80)
for true colours

Wattage Variants	Color	Housing	Cut-out Dimension(mm)	PF	CRI	*Lumen Efficacy
12W Round	CW,WW,NW	Black/White	110	>0.9	≥80	80 lm/W
18W Round	CW,WW,NW	Black/White	142	>0.9	≥80	80 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shops



Cafes



Small offices



Showrooms




CELESTIA NEO DOWNLIGHT

9W | 15W





High Colour Rendering index (CRI>80) for true colours



High Functional Light Efficacy (upto 100 Lumens per watt)



Mood Lighting

Wattage Variants	Color 3CCT Tunable	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
9W Round	CW/WW/NW	96	>0.9	≥80	90 lm/W
9W Square	CW/WW/NW	96x96	>0.9	≥80	90 lm/W
15W Round	CW/WW/NW	145	>0.9	≥80	100 lm/W
15W Square	CW/WW/NW	145x145	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION




Homes



Small offices



Showrooms






CELESTIA LED DOWNLIGHTER

(Backlit Technology)

6W | 10W | 12W | 15W | 20W





6500K High Functional
Light Efficacy
(upto 100 Lumens
per watt)



High Colour Rendering
index (CRI>80)
for true colours

Wattage Variants	Color	Cut-out Dimension(mm)	PF	CRI	*Lumen Efficacy
6W Round	CW/WW/NW/Pink/Blue/Green	96	>0.9	≥80	85 lm/W
6W Square	CW/WW/NW/Pink/Blue/Green	96x96	>0.9	≥80	85 lm/W
10W Round	CW,WW,NW	96	>0.9	≥80	90 lm/W
10W Square	CW,WW,NW	96x96	>0.9	≥80	90 lm/W
12W Round	CW,WW,NW	130	>0.9	≥80	100 lm/W
12W Square	CW,WW,NW	130x130	>0.9	≥80	100 lm/W
15W Round	CW,WW,NW	145	>0.9	≥80	100 lm/W
15W Square	CW,WW,NW	145x145	>0.9	≥80	100 lm/W
20W Round	CW,WW,NW	201	>0.9	≥80	100 lm/W
20W Square	CW,WW,NW	201x201	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Small offices




Showrooms

ASTRION DOWNLIGHTER

12W





6500K High Functional
Light Efficacy



High Colour Rendering
index (CRI > 80)
for true colours

Wattage Variants	Color	Cut-out Dia(mm)	Dimension Dia x H(mm)	PF	CRI	*Lumen Efficacy
12W Round	CW/WW/NW Red/Green Blue/Pink	102	130x30	>0.9	≥80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Small offices





Showrooms



CELESTIA 2x2 LED DOWNLIGHTER

40W







6500K High Functional
Light Efficacy
(100 Lumens per watt)



High Colour Rendering
index (CRI>80)
for true colours



Ultra Slim
Construction



Smooth Light
Distribution



Safe for
Eye

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
40W	CW/NW/WW	595mmx595mm	>0.9	>80	100 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shopping Malls



Showrooms

**LAUNCHING
SOON**



METLUM METAL SLIM PANEL

(Edgelit Technology)

6W | 9W | 12W | 15W | 18W







Metal body with External Driver



High Colour Rendering index (CRI > 80) for true colours



Ultra Slim Construction



Smooth Light Distribution



Safe for Eye

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
6W	CW/NW/WW	105	>0.9	>80	70m/W
9W	CW/NW/WW	105	>0.9	>80	70m/W
12W	CW/NW/WW	155	>0.9	>80	80m/W
15W	CW/NW/WW	155	>0.9	>80	80m/W
18W	CW/NW/WW	205	>0.9	>80	80m/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shopping Malls



Showrooms



ZOLO ECO PC SLIM PANEL


(Edgelit Technology)

6W | 9W | 12W | 15W





Ultra Slim
Construction



Smooth
Light
Distribution



Lifelong
Brightness



Safe for
eyes

RR
signature
Lights

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
6W Round	CW	105	>0.9	>80	70 lm/W
6W Square	CW	105x105	>0.9	>80	70 lm/W
9W Round	CW	105	>0.9	>80	70 lm/W
9W Square	CW	105x105	>0.9	>80	70 lm/W
12W Round	CW	155	>0.9	>80	80 lm/W
12W Square	CW	155x155	>0.9	>80	80 lm/W
15W Round	CW	155	>0.9	>80	80 lm/W
15W Square	CW	155x155	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Hotels



Showrooms

LAUNCHING
SOON



DECORATIVE CEILING LIGHT ROUND

36W





Unique Architectural Design



Sparkle Effect



Safe for eyes

RR
signature
Lights



Lifelong Brightness

Wattage Variants	Color	Dimension (mm)	PF	CRI
36W Round	CW	390	>0.9	>80


* Lumens @ 6500K, may vary as per colour




6500K CW




3000K WW




4000K NW



X1



X1



X1

APPLICATION



Homes



Hotels




Showrooms



CELESTIA LED SURFACE PANEL

8W | 15W | 22W





Slim
Compact
Beauty



Safe For
Eyes



High Colour
Rendering
Index (CRI>80)
for true colours

Wattage Variants	Color	Dimension	PF	CRI	*Lumen Efficacy
8W Round	CW/NW/WW/Pink/Blue/Green	90x25	>0.9	≥80	80 lm/W
8W Square	CW/NW/WW/Pink/Blue/Green	90x90X25	>0.9	≥80	80 lm/W
15W Round	CW/NW/WW	120X25	>0.9	≥80	80 lm/W
15W Square	CW/NW/WW	120X120X25	>0.9	≥80	80 lm/W
22W Round	CW/NW/WW	155X25	>0.9	≥80	80 lm/W
22W Square	CW/NW/WW	155X155X25	>0.9	≥80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shops




Cafes



COMETGLO DECORATIVE CEILING LIGHT

7W






High Colour
Rendering
index (CRI>80)
for true colours



Focused
Light



Lifelong
Brightness

Wattage Variants	Housing	Reflector	Cut-out (Dia) mm	Dimension (Dia xH)mm	Color	CRI	*Lumen Efficacy
7W	Black/White	NB / RG	75	110X45	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)
Reflector: Nickel Black (NB), Rose Gold (RG)

APPLICATION



Homes



Shops




Cafes



COMET CEILING LIGHTS

5W | 7W | 9W | 12W





High Efficacy
Of 80
Lumens
Per Watt



Suitable For
4-inch
Junction Box
Ceiling Fitting



Suitable For
False Ceiling
Installation

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
5W	CW/NW/WW/Red/Green/Blue/Pink	80	>0.9	>80	80 lm/W
7W	CW/WW/NW/Red/Green/Blue/Pink	75	>0.9	>80	80 lm/W
9W	CW/WW/NW/Red/Green/Blue/Pink	75	>0.9	>80	80 lm/W
12W	CW/WW/NW/Red/Green/Blue/Pink	75	>0.9	>80	80 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shops



Cafes




Showrooms

COMET NEO CEILING LIGHTS

6W





High Efficacy
Of 80
Lumens
Per Watt



Suitable For
4-inch
Junction Box
Ceiling Fitting




Suitable For
False Ceiling
Installation

Wattage Variants	Color 3CCT Tunable	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
6W	CW-WW-NW	75	>0.9	>80	80 lm/W
6W	Red-Blue-Pink	75	>0.9	>80	80 lm/W
6W	Green-Pink-White	75	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)



APPLICATION



Homes



Shops



Cafes



Showrooms



COMET NEO 2 IN 1

7W | 12W






High Colour Rendering Index (CRI>80) for true colours




Suitable For 2.5-inch Junction Box Ceiling Fitting



Lifelong Brightness

Wattage Variants	Inner Circle Color	Outer Ring Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy
7W	CW	WW/Pink/Blue/Green/PBG	50	>0.9	>80	100 lm/W
12W	CW	WW/Pink/Blue/Green/PBG	50	>0.9	>80	100 lm/W

* CCT-6500K (CDL), 3000K (WW), Pink, Blue, Green (PBG)



APPLICATION



Homes



Shops



Cafes



COMET MOON LIGHT

6W | 8W | 12W | 15W






High Colour Rendering Index (CRI>80) for true colours



Suitable For 2-inch Junction Box Ceiling Fitting



Lifelong Brightness

Wattage Variants	Color	Cut-out Dia(mm)	Dimension (Dia xH)mm	PF	CRI	*Lumen Efficacy
6W Round	CW/NW/WW	50	84x56	>0.9	>80	100 lm/W
8W Round	CW/NW/WW Red/Green Blue/Pink	50	84x56	>0.9	>80	100 lm/W
12W Round	CW/NW/WW	50	140x56	>0.9	>80	100 lm/W
15W Round	CW/NW/WW	50	140x56	>0.9	>80	100 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Shops




Cafes



COMET PRO CEILING LIGHTS

3W





High Efficacy
Of 80
Lumens
Per Watt



Safe For
Eyes



High Colour
Rendering
Index (CRI>80)
for true colours

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
3W	CW/WW Red/Green/Blue/Pink	58	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Shops




Cafes



SPECTRA ECO SWIVEL DOWNLIGHT

3W | 6W | 9W | 12W





Spotlight illumination



Intense Focused Light, Tiltable Design, Unique Lens



High Colour Rendering Index (CRI>80) for true colours

RR
signature
Lights

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy	CCT
3W	WW	55	>0.9	>80	70 lm/W	3000K
6W	WW	67	>0.9	>80	80 lm/W	3000K
9W	WW	90	>0.9	>80	80 lm/W	3000K
12W	WW	112	>0.9	>80	80 lm/W	3000K

APPLICATION



Homes



Hotels




Showrooms




LED SURFACE PANEL-STRIKER

3W | 5W





Smooth
Light
Distribution



Lifelong
Brightness



High Colour
Rendering
Index (CRI>80)
for true colours

Wattage Variants	Color	Size Dia xH (mm)	PF	CRI	*Lumen Efficacy
3W	CW/WW Red/Green/Blue/Pink	68 x 14	>0.9	>80	55 lm/W
5W	CW/WW Red/Green/Blue/Pink	63 x 17	>0.9	>80	90 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Hotels



Cafes




Furniture

SPECTRA ECO SPOTLIGHT

2W





Spotlight
illumination



Intense
Focused Light

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
2W	CW/WW Red/Green/Blue/Pink	34.5	>0.9	>80	50 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Hotels



Showrooms



Furniture



OUTDOOR RANGE (FLOOD LIGHT, STREET LIGHT & BULKHEAD)

Outdoor LED Lighting Solutions – Power, Performance, and Efficiency

Our range of Outdoor LED Lighting Solutions—including Flood Lights, LED Sensor Street Lights, LED Street Lights & LED Bulkhead –offers advanced, energy-efficient lighting tailored for demanding industrial and outdoor applications. Built for durability and long-lasting performance, these lights are designed to provide optimal illumination while reducing energy consumption and maintenance costs.

Features

- Energy Efficiency
- Robust Construction
- Long Lifespan
- Eco-Friendly

Upgrade your industrial and outdoor lighting with our state-of-the-art LED solutions, designed for maximum efficiency, reliability, and sustainability.



QUANTO FLOODLIGHT

20W | 30W | 50W | 100W
150W | 200W



QUANTO PRO

QUANTO SLEEK



Strong and Sturdy Construction



High Surge Protection



Weather Protection

Wattage Variants	Color	Dimension (LxW) mm	PF	Lumen Efficacy
20W Pro	CW/WW	121x113	>0.9	100 lm/W
20W Sleek	CW/WW	135x120	>0.9	100 lm/W
30W Pro	CW/WW	142x129	>0.9	100 lm/W
30W Sleek	CW/WW	185x180	>0.9	100 lm/W
50W Pro	CW/WW	168x158	>0.9	100 lm/W
50W Sleek	CW/WW	225x205	>0.9	100 lm/W
100W Pro	CW/WW	212x202	>0.9	100 lm/W
100W Sleek	CW/WW	270x240	>0.9	100 lm/W
150W Pro	CW/WW	286x276	>0.9	100 lm/W
150W Sleek	CW/WW	285X275	>0.9	100 lm/W
200W Pro	CW/WW	335x315	>0.9	100 lm/W
200W Sleek	CW/WW	320X 315	>0.9	100 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Offices



Malls



Assembly Lines



Parking



Warehouses



Railway & Airports Station



Sport Halls



Recreational Facilities



Gardens & Parks



STREETO NEO STREET LIGHT WITH SENSOR

45W






Day Light
Sensor



IP 66
Outdoor
Lighting



Non-Flickering
Performance

Wattage Variants	Color	Dimension (LxW) mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
45W	CW	280 x 164	>0.9	≥70	100 lm/W	4KV	IP66

APPLICATION




Villas



School &
College



Pathways





SREETO ECO STREET LIGHT(AL BODY)

20W | 30W | 50W | 100W






Certified
Bright
LEDs



IP 66
Outdoor
Lighting



Non-Flickering
Performance

Wattage Variants	Color	Dimension (LxW) mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
20W	CW	255 x 102	>0.9	≥70	100 lm/W	4KV	IP66
30W	CW	298 x 120	>0.9	≥70	100 lm/W	4KV	IP66
50W	CW	346 x 142	>0.9	≥70	100 lm/W	4KV	IP66
100W	CW	455 x 191	>0.9	≥70	100 lm/W	4KV	IP66

APPLICATION



Villas



School &
College



Condominiums



Cafes



Pathways

**LAUNCHING
SOON**



SREETO ECO STREET LIGHT(PC BODY)

20W | 30W | 50W





Certified
Bright
LEDs



IP 66
Outdoor
Lighting



Non-Flickering
Performance

Wattage Variants	Color	Dimension (LxW) mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
20W	CW	295x92	>0.9	≥80	100 lm/W	4KV	IP66
30W	CW	335x105	>0.9	≥80	100 lm/W	4KV	IP66
50W	CW	395x130	>0.9	≥80	100 lm/W	4KV	IP66

APPLICATION



Villas



School &
College



Condominiums



Cafes



Pathways

METEORA LED BULKHEAD

10W | 20W






High Colour Rendering index (CRI > 80) for true colours



Semi Outdoor Lighting



Lifelong Brightness

Wattage Variants	CCT	Dimension	CRI	*Lumen Efficacy
10W	CW/WW/NW	170 x 67 x 46	>80	80 lm/W
20W	CW/WW/NW	210 x 97 x 55	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Gardens



Garage



Shops





DECORATIVES LIGHTS

Gate Decorative & Wall Decorative Fixtures – Elevating Aesthetics

Our **Gate Decorative** and **Wall Decorative Fixtures** are thoughtfully designed to bring both elegance and functionality to outdoor and indoor spaces, respectively. Whether enhancing the exterior beauty of entryways or adding a stylish touch to your interiors, these fixtures blend aesthetic appeal with reliable performance.

Features:

- Elegant Entrance Lighting:
- Durable Construction:
- Soft, Ambient Lighting:
- Versatile Styles:

Enhance your spaces with our **Gate Decorative** and **Indoor Wall Decorative Fixtures**, offering the perfect blend of style, durability, and energy-efficient lighting solutions for both outdoor and indoor settings!

GATE DECOR MILAN MAGIC

10W | 20W





Outdoor
Usage



Weather
Protection



Aluminium
Die Cast
body



Milan Magic 10W
152mm x 152mm x 195mm



Milan Magic 20W
200mm x 200mm x 250mm

APPLICATION



Homes



School
& College



Bungalows



Office
Areas



GATE DECOR SWISS SHINE

ROUND | SQUARE | OVAL





Outdoor
Usage



Weather
Protection



Aluminium
Die Cast
body



Swiss Shine Square
220mm x 220mm x 215mm



Swiss Shine Round
220mm x 190mm



Swiss Shine Oval
175mm x 165mm x 215mm

APPLICATION



Homes



School
& College



Bunglows



Office
Areas



GATE DECOR

150MM/200MM/250MM





IK07



B22 base cap



Strong Polycarbonate body



Sydney Spark 250mm



Secura 200mm



Thunder 200mm



Glowbox 200mm



Berlin Bright 200mm

APPLICATION



Homes



School & College



Bunglows



Office Areas



WALL DECOR

150MM





Indoor
Usage



B22 base
cap



Strong
Polycarbonate
body



Secura 150mm



Starex 150mm

APPLICATION



Homes



School
& College



Bungalows




Office
Areas




DESIGNER LED LAMPS HAZEL / CAMELLIA

10W






Unique
Architectural
Design



Fits in Standard B22d Holder –
No Electrician required



10W Light:
920 Lumens



Adjustable Illumination
direction with two-way rotation

Product	Rated Efficacy	CCT (K)	PF	CRI	Color
10W Hazel	92lm/W	6500K	CDL	>0.9	≥80
10W Camellia	92lm/W	6500K	CDL	>0.9	≥80

APPLICATION



Showrooms



Institutions



Shops



Common
Areas





LED BATTENS & LED LAMPS

LED Battens & LED Lamps – Efficient and Versatile Lighting Solutions

Our **LED Battens** and **LED Lamps** provide efficient, reliable, and versatile lighting options designed to meet the diverse needs of homes, offices, and commercial spaces. With energy-efficient technology and long-lasting performance, these products offer bright, uniform illumination for a variety of applications.

Features

- Sleek Design
- Energy-Efficient
- Durable and Long-Lasting
- Easy Installation

Versatile Lighting

Long Lifespan

Available in Multiple Color Temperatures

Illuminate your spaces with our LED Battens and LED Lamps—the perfect combination of efficiency, versatility, and durability for modern lighting needs!



LED BATTEN ALUMINUM FRAME

40W | 50W | 70W





Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Aluminium
Mechanical
Construction

Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 6500K
MaxiGlo Plus	40W	CW/WW	Square	1185	>0.9	≥80	4000lm
MaxiGlo Plus	50W	CW/WW	Square	1185	>0.9	≥80	5000lm
MaxiGlo Plus	70W	CW/WW	Square	1185	>0.9	≥80	7000lm

APPLICATION



Homes



Small
Offices



Common
Area



LED BATTEN PC FRAME

6W | 10W | 20W | 22W | 24W
32W | 45W





Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Unibody
Mechanical
Construction

Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 6500K
DuraGlo Lite	6W	CW/WW/NW	Square	300	>0.9	≥80	600lm
DuraGlo Lite	10W	CW/WW/NW	Square	600	>0.9	≥80	1000lm
DuraGlo	20W	CW/WW/NW	Square	600	>0.9	≥80	2000lm
DuraGlo Lite	22W	CW/WW/NW	Square	1100	>0.9	≥80	2200lm
SpectraGlo	24W	CW/WW/NW	Square	1100	>0.9	≥80	2400lm
DuraGlo Plus	32W	CW/WW/NW	Square	1185	>0.9	≥80	3200lm
DuraGlo Plus	45W	CW/WW/NW	Hexagon	1145	>0.9	≥80	4500lm

APPLICATION



Homes



Offices




Showrooms



LED COLOR BATTEN DURAGLO LITE

22W






Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Strong
Unibody
Mechanical
Construction

Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Material
Duraglo Lite	22W	Pink, Green, Blue, Red, Tiranga	Square	1100	>0.9	≥80	Plastic

APPLICATION



Homes



Small
Offices



Showrooms



LED INVERTER LAMP

9W | 12W | 15W





High Colour Rendering Index (CRI>80) for true colours



Upto 4 hours Backup time



Overcharging & deep discharge protection

Input Power	Color	Size (mm)	PF	CRI	Lumen@ 6500K
9W	CDL	70 x 138	>0.9	≥80	900lm
12W	CDL	70 x 138	>0.9	≥80	1200lm
15W	CDL	77 x 160	>0.9	≥80	1500lm

APPLICATION



Homes



Institutions



Shops



Common Areas

LAUNCHING
SOON




MOTION LUX LED SENSOR LAMP

10W





Sensor
Technology



High Functional
Light Efficacy
(upto 100
Lumens per watt)



360°
Motion
Sensor

Input Power	Color	Size (mm)	PF	CRI	Lumen@ 6500K
10W	CDL	70 x 138	>0.9	≥80	900lm



AUTO ON

When it senses motion in 15 feet range



After 1 min when no motion Detected

APPLICATION



Homes



Institutions



Shops




Common Areas



LED BLAZE ECO LAMPS

12W | 15W | 18W | 30W
40W | 50W | 70W






Bigger
Diffuser



Brighter
Lighting



High Functional
Light Efficacy
(upto 100
Lumens per watt)

Input Power	Color	Base/Cap	Size Dia x H (mm)	PF	CRI Efficacy	Lumen
12W	CW	B22d	60 x 116	>0.9	≥80	105lm/W
15W	CW	B22d	70 x 127	>0.9	≥80	105lm/W
18W	CW	B22d	80 x 136	>0.9	≥80	105lm/W
30W	CW	B22d	100 x 152	>0.9	≥80	105lm/W
40W	CW	B22d	120 x 167	>0.9	≥80	100lm/W
40W	WW	B22d	120 x 167	>0.9	≥80	90lm/W
50W	CW	B22d	140 x 190	>0.9	≥80	100lm/W
50W	WW	B22d	140 x 190	>0.9	≥80	90lm/W
70W	CW	B22d	160 x 260	>0.9	≥80	100lm/W

APPLICATION



Showrooms



Institutions



Shops



Common Areas




Homes



LED HB PRO LITE LAMPS

2.7W | 6W | 8W | 9W | 10W | 12W
15W | 18W | 20W | 24W





Bigger
Diffuser



Brighter
Lighting



Work On
Wide Voltages



Safe for
eyes

Input Power	Color	Base/Cap	Size Dia x H (mm)	PF	CRI	Lumens
2.7W	CW	B22d	50 x 86	>0.9	≥80	270
2.7W	WW	B22d	50 x 86	>0.9	≥80	250
2.7W	WW	E27	50 x 86	>0.9	≥80	250
6W	CW	B22d	55 x 100	>0.9	≥80	540
8W	CW	B22d	55 x 100	>0.9	≥80	720
9W	WW	B22d	60 x 107	>0.9	≥80	828
9W	WW	E27	60 x 107	>0.9	≥80	828
10W	CW	B22d	60 x 107	>0.9	≥80	900
10W	Pink, Green Blue, Red	B22d	60 x 107	>0.9		
12W	CW	B22d	60 x 110	>0.9	≥80	1080
15W	CW	B22d	65 x 125	>0.9	≥80	1350
18W	CW	B22d	70 x 136	>0.9	≥80	1620
20W	CW	B22d	80 x 150	>0.9	≥80	1800
24W	CW	B22d	80 x 150	>0.9	≥80	2160

APPLICATION



Showrooms



Institutions



Shops



Common Areas



AMBER ECO LED DECO LAMPS

0.5W





Rich colors
for decoration



Soothing effect
for sleep mode



Input Power	Color	Dimension Dia x H (mm)	Beam Angle	Base
0.5W	White, Warm White Yellow, Red, Blue, Green Multicolor	45 x 70	200°	B22d

APPLICATION



Bedrooms



Prayer Rooms



Staircases

R R KABEL LIMITED

Corp. Office: Alembic Business Park (West), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003, Gujarat, India.

Regd. Office: R R Kabel Limited, Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai-400 013, Maharashtra, India.

Customer Care Helpline Number: 99994 42676, Email: customercare@rrglobal.com

"Photographs of the Products shown above are indicative only. Owing to continuous innovation and improvements, actual product may vary in design, description, colors and color combinations from one shown herein. Care has been taken to ensure that information contained herein is correct and updated from time to time.

R R KABEL LIMITED, however, takes no responsibility of the variations and reserves its right to make changes in the data/details, without any prior intimation or notice."